



C0218-003

7USC1639 Certificate of Analysis

man. date 2/22/2021

total cannabinoids 1025.9mg per 30 mL

This Product Has Been Tested and Complies with 7USC1639o(1)

Stillwater Laboratories

certificate ID 1BS27

THC total ND CBD total 975.6mg terpenes

order 9903

analysis date 2/22/2021 5:32:07 PM


test tag S1BWM

sample wgt

Inspection MSP-7.5.1.2

DESCRIPTION: Concentrate sample received in a client-labeled bottle, collected at dispensary/grow. 1 and sample tag S1BWM.

- caryophyllene
humulene
terpinolene
ocimene
beta pinene
alpha pinene
limonene
myrcene
linalool



MIP

Potency per 30 mL

Table with columns: Compound, Result, LOD, LOQ, error (95%CI k=2). Rows include tetrahydrocannabinolic acid (THCa), delta-9-tetrahydrocannabinol (delta 9 THC), delta-8-tetrahydrocannabinol (delta 8 THC), tetrahydrocannabinavarin (THCv), cannabidiolic acid (CBDa), cannabidiol (CBD), cannabidivarin (CBDv), cannabigerolic acid (CBGa), cannabigerol (CBG), cannabinal (CBN), and cannabichromene (CBC).

Terpenes

MSP-7.5.1.6

MSP-7.5.1.6

‡ = decarbed NT = not tested NL = no limit, ND = not detected, LOD = detection limit, LOQ = quantitation limit

Microbial

MSP-7.5.1.10

limit

Metals

MSP-7.5.1.11

limit

Pesticides

MSP-7.5.1.8

limit

Pesticides

MSP-7.5.1.8

limit

Large table with 4 columns: Microbial, Metals, Pesticides, and Pesticides. Each column lists various substances and their test results (PASS, FAIL, etc.) against specific limits.

INSTRUMENTS
potency: HPLC (LC2030C-UV)
terpenes: GCMS (QP2020/HS20)
solvents: GCMS (QP2020/HS20)
pesticides: LCMSMS (LC8060)
mycotoxins: LCMSMS (LC8060)
microbial: qPCR (AriaMx) and plating
metals: ICPMS (ICPMS-2030)

SECURITY FEATURE: WATERMARK MUST MATCH CERTIFICATE ID AND ISSUE DATE

Certified by:

Justin M Johnston
Deputy Director

Stillwater Laboratories Inc.
MT License L00001, 7, 8
6073 US93N Suite 5
Olney MT 59927
406-881-2019

The data in this report is the property of and is administered by Stillwater Labs. The format, layout, and security features of this report are copyrighted by Stillwater Laboratories Inc. © 2020



ISO/IEC 17025:2017

Certificate #4961.01

https://portal.a2la.org/scopepdf/4961-01.pdf

OTO900


| | | | |
|--|---|------------------------------------|----------------------|
| Batch ID or Lot Number: 21222B | Test: Microbial Contaminants | Reported: 8/15/21 | |
| Matrix: Finished Product | Test ID: T000156749 | Started: 8/11/21 | USDA License: N/A |
| Status: N/A | Methods: TM25 (qPCR) TM24, TM26, TM27(Culture Plating): Microbial (Colorado Panel) | Received: 08/11/2021 @ 10:26 AM | Sampler ID: N/A |

MICROBIAL CONTAMINANTS DETERMINATION

| Contaminant | Method | LOD | LLOQ | ULOQ | Result | Notes |
|------------------------------|------------------------|-----------------------|-----------------------|---------------------------|---------------|---|
| Total Aerobic Count* | TM-26, Culture Plating | 10 ² CFU/g | 10 ³ CFU/g | 1.5x10 ⁵ CFU/g | None Detected | Free from visual mold, mildew, and foreign matter |
| Total Coliforms* | TM-27, Culture Plating | 10 ² CFU/g | 10 ² CFU/g | 1.5x10 ⁴ CFU/g | None Detected | |
| Total Yeast and Mold* | TM-24, Culture Plating | 10 ² CFU/g | 10 ² CFU/g | 1.5x10 ⁴ CFU/g | None Detected | |
| E. coli (STEC) | TM-25, PCR | 1 CFU/25 g | NA | NA | Absent | |
| Salmonella | TM-25, PCR | 1 CFU/25 g | NA | NA | Absent | |


 Robert Belfon
 8/14/2021
 5:44:00 PM

PREPARED BY / DATE


 Courtney Richards
 8/15/2021
 1:03:00 AM

APPROVED BY / DATE

Definitions

LOD = Limit of Detection | LLOQ = Lower Limit of Quantitation | ULOQ = Upper Limit of Quantitation

 CFU/g = Colony Forming Units per Gram | STEC = Shiga Toxin-Producing *E. coli*

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

 Examples:
 10² = 100 CFU
 10³ = 1,000 CFU
 10⁴ = 10,000 CFU
 10⁵ = 100,000 CFU

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.



CDPHE Certified



Certificate #4329.02